

Certificate of Quality



As per the manufacturer, the below product meets the following criteria:

| VWR Catalog Number | 414004-226 | | |
|---------------------|---------------------------|--|--|
| Lot Number | VPN190318 | | |
| Description | VWR WASH BOTTLE 250ML PK6 | | |
| Date of Manufacture | March 19, 2018 | | |
| Country of Origin | India | | |

Quality System Compliance

Products are manufactured, inspected and found to be in compliance with product and quality specification requirements as documented in the ISO 9001:2008 & ISO13485:2003 Quality Management System. Inspection records are reviewed and signed for product release.

QC Testing

Representative production samples are collected and inspected in accordance with current applicable standard protocols.

| Test Name | Test Reference | Accuracy | Result |
|-------------|----------------|------------------------------------|------------------|
| Leak Test | QWI-QC-05 | General Insp. Level - I, AQL - 1.5 | Leak proof |
| Autoclaving | QWI-QC-07 | General Insp. Level - I, AQL - 1.5 | NA |
| Dimensional | QSF-QC-02 | General Insp. Level - I, AQL - 1.5 | Within tolerance |

Product Specifications

Material: Low Density Polyethylene, 100 % Virgin, FDA 21 CFR Compliance.

Closure and

draw tube:

Polypropylene, 100 % Virgin, FDA 21 CFR Compliance.

BSE/TSE Statement: The above-mentioned product is manufactured without the use of Raw materials of animal origin.

Therefore, BSE/TSE issue does not concern this product to the best of the manufacturer's knowledge.

Non-Pyrogenic: Not Applicable.

DNase & RNase Free: Not Applicable.

Cytotoxicity: Not Applicable.

Latex-Free Statement: No materials containing latex or natural rubber are used in the manufacturing, handling and packaging

processes for this product.

Signed:

Linda K. Shine

Manager - Supplier Qualificatio

Lyda K. Shine

Global Compliance

VWR International LLC Date: March 19, 2018